



PRODUCT INFORMATION FOR POISON CENTERS



Product information	
Product name	OFF! DEEP WOODS
Specification Number	350000007956
Bulk Code Number	00046938
Physical and chemical properties	
Colour	colourless
pH	not applicable
Flash point	13 °C
Density	
Composition/information on ingredients	
Chemical Name	Value
Ethyl alcohol	50-60 %
N,N-diethyl-m-toluamide	30-40 %
Butane	5-10 %
water	1-5 %
Propan-2-ol	1-5 %
Propane	1-5 %
Isobutane	1-5 %
2-amino-2-methylpropanol	< 0,5 %
sodium benzoate	< 0,5 %
2-(METHYLAMINO)-2-METHYL-1-PROPANOL	< 0,5 %
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	< 0,5 %
4-tert-butylcyclohexyl acetate	< 0,5 %
2-benzylideneheptanal	< 0,5 %
2-phenylethanol	< 0,5 %
3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate	< 0,5 %
hexyl salicylate	< 0,5 %
benzyl salicylate	< 0,5 %
denatonium benzoate	< 0,5 %
2-(4-tert-butylbenzyl)propionaldehyde	< 0,5 %
diethyl phthalate	< 0,5 %
alpha,alpha-dimethylphenethyl acetate	< 0,5 %
citronellol	< 0,5 %
geraniol	< 0,5 %
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	< 0,5 %
1-[2,3-dihydro-1,1,2,6-tetramethyl-3-(1-methylethyl)-1H-inden-5-yl]ethan-1-one	< 0,5 %
linalool	< 0,5 %
1,3-butadiene	< 0,5 %
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	< 0,5 %
Benzyl benzoate	< 0,5 %
(Z)-3-hexenyl salicylate	< 0,5 %
7-hydroxycitronellal	< 0,5 %

PRODUCT INFORMATION FOR POISON CENTERS

isopropyl myristate	< 0,5 %
4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde	< 0,5 %
Benzyl alcohol	< 0,5 %
cinnamyl alcohol	< 0,5 %
d-limonene	< 0,5 %
2-pentyl-3-phenylprop-2-en-1-ol	< 0,5 %
Toxicological information	
Acute oral toxicity	LD50 rat estimated > 2 g/kg May cause abdominal discomfort.
Acute inhalation toxicity	Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. Excessive exposure to spray mist, fog or vapour may cause respiratory irritation.
Acute dermal toxicity	LD50 rabbit estimated > 2 g/kg No adverse effects expected when used as directed.
Skin irritation	May cause skin irritation in susceptible persons.
Eye irritation	Irritating to eyes.
Mandatory Safety Requirements	
Classification	Extremely flammable Irritant Dangerous for the environment
R-phrases(s)	Extremely flammable. Irritating to eyes. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard symbols	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>Extremely flammable</p> </div> <div style="text-align: center;">  <p>Irritant</p> </div> </div>
Other Requirements	Caution, Use only as directed., Do not apply to the hands of children., For external use only., Do not apply on or near synthetics (other than nylon), furniture, plastics, watch crystals, leather and painted/varnished surfaces including automobiles., In the event of irritation discontinue use., Do not apply more than twice within a 24 hour period and avoid over-application., Do not use on severely sunburn/blistered/broken skin., Do not use on children under 3 years., Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C., Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Confidential

**PRODUCT INFORMATION FOR POISON
CENTERS**



Assessment Completed	
Product Safety Review Date	Edward Whittle 20.08.2009